ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoch ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	level pa	arts, the	declaration	encompas	ses all lowe		erials for	which th	e item is an assembly ne manufacturer has eclaration.			
1752-2 1.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x									eclaration Class * lass 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																	
Company Name * Company Unique ID			Unique ID Authority			Response Date *			Res	Response Document ID							
SEMTECH CORPORATION	00-847-9941		DUNS	2013-1	1-15												
Contact Name *	Title - Contact		Phone - Con	none - Contact *			t *		D lit-	0	٠ - دا						
ROYA MOTAMEDI	QA Customer Servic	e Represe	(805) 389-27	rmotamedi@semtech.com			om	Duplicate	Contact	-> Autho	orizea Re	presentative					
Authorized Representati	Title - Representative)	Phone - Representative *		Email - Representative *			* Sup	Supplier Comments or URL for Additional Information								
ROYA MOTAMEDI	QA Customer Servic	e Represe	(805) 389-27	rmotamedi@semtech.com			om										
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective Date V		Version	Manufactur	ng Site	Weight *	UC	OM	Unit Type				
	RClamp05		0504S.TCT		RailClamp Low-Capacitance T				China		15.611	mg	9	Each			
Alternate Recommenda	ation				Alternate Item			Item Commo	ents								
Manufacturing Proces	ss In	formation				,											
Terminal Plating / Grid Array Material Termina			Terminal Ba	Base Alloy J-STD-020 MS		ating F	Peak Proc	ak Process Body Tempera		ture Max Time at Peak Tem		perature Number of Reflow		of Reflow Cycles			
Matte Tin (Sn)			CU Alloy		1				60 C		30 se		3				
Comments					1	Į											
RClamp0504S.TCT is RE	ACH	-compliant product,	per EU R	egulation EC	1907/2006 to incl	ude rec	ent addi	tion of S	VHC cand	idate list o	f substanc	es in Ju	ne 2013.	•			

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Evennt	Weight	Unit of	Tolerance		PPM
	Name		Material	weight	Measure			Levei	Substance Category			Substance	JAG	Exempt	weight	Measure	-	+	FFIN
+1 -1	Die	+M -M	Die, Switch	0.2146	mg	+C	-C	Supplier		+S	Ş	Silicon (Si)	7440-21-3		0.2146	mg			13,258
+1 -1	Leadframe	+M -M	EFTEC-64T	6.8705	mg	+C	-C	Supplier		+S	-S	Cu	7440-50-8		6.8197	mg			421,28
										+S	-s	Cr(not Cr 6+)	7440-47-3		0.0186	mg			1,146
										+S	-s	Sn	7440-31-5		0.0172	mg			1,061
										+S	-s	Zn	7440-66-6		0.0151	mg			934
		+M -M	Pure silver	0.1331	mg	+C	-C	Supplier		+S	ှ	Ag	7440-22-4		0.1331	mg			8,219
+1 -1	Bond Wire	+M -M	Gold	0.0704	mg	+C	-C	Supplier		+S	ှ	Au	7440-57-5		0.0704	mg			4,352
+1 -1	Molding compound	+M -M	CEL-1702HF9	8.0345	mg	+C	-C	Supplier		+S	ှ	SiO2	60676-86-0		7.0141	mg			433,29
										+S	-s	Epoxy Resin	29690-82-2		0.4017	mg			24,816
										+S	-s	Phenol Resin	26834-02-6		0.4017	mg			24,816
										+S	-s	Aromatic poly-phospha	Proprietary		0.2009	mg			12,408
										+S	-s	С	1333-86-4		0.0161	mg			993
+1 -1	Die attached epoxy	+M -M	84-1 LMISR4	0.086369	mg	+C	-C	Supplier		+S	ှ	Ag	7440-22-4		0.0648	mg			4,002
										+S	-s	Epoxy resin	Proprietary		0.0173	mg			1,067
										+S	-s	Curing agent & hardene	Proprietary		0.0043	mg			267
+1 -1	Tin solder	+M -M	Pure Tin	0.7784	mg	+C	-C	Supplier		+S	-S	Sn	7440-31-5		0.7784	mg			48,085