ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level p	arts, the	declaratior	n encom		er level mat	erials for	which th	item is an assembly e manufacturer has eclaration.	
1752-2 1.1		Web Site for Informat	rd	-   -   -   -   -   -   -   -   -   -				eclaration Class * ass 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat							
Supplier Information															
Company Name *		Company Unique ID		Unique ID Au	Response Date *			F	Response Doc						
SEMTECH CORPORATION		00-847-9941		DUNS	2022-06-07										
Contact Name *		Title - Contact		Phone - Con	Email - Contact *				D 11 (	0 1 1	A (I				
Karen Pimental		QA Customer/Docun	nent Suppo	805-489-2111		kpimental@semtech.com			m	Duplicate	Contact	-> Autno	orizea Re	presentative	
Authorized Representative *		Title - Representative	Э	Phone - Representative *		Email - Representative *			*	Supplier Comments or URL for Additional Information					
Karen Pimental		QA Customer/Docur	nent Suppo	805-489-211	kpimental@semtech.com			m							
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective Date		Version Manufa		cturing Site	Weight *	UC	OM	Unit Type		
		RClamp0584J.TCT		Ultra Low Ca	а			China		4.5193	mg	3	Each		
Alternate Recommenda	ation				Alternate Item			Item Co	Comments						
Manufacturing Proces	ss In	formation				•				<u> </u>					
Terminal Plating / Grid Array Material			Terminal Ba	ase Alloy	J-STD-020 MSL Rating		Peak Process Body Tempe		Tempera	rature Max Time at Peak Tem		perature	perature Number of Reflow Cy		
Nickel/Palladium/Gold (Ni/Pd/Au)		CU Alloy		1			2	2 <b>60</b> C	<b>30</b> so		econds	3			
Comments  RClamp0584J.TCT is RE	EACH	l-compliant product	, per EU R	egulation EC	:1907/2006 to inc	lude m	ost recer	nt additio	ns to t	he SVHC can	didate list o	of substa	ances. C	k KP	

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type \*** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance \* Accepted **RoHS Declaration \*** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature** 

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt	Woight	Unit of	Tolerance		PPM
	Name		Material	weight	Measure		Levei	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	FFIVI
+1 -1	Die	+M -M	Doped Silicon	0.0432	mg	+C -C	Supplier		+S	-S	Si	7440-21-3		0.0432	mg		!	9,559
+1 -1	Leadframe	+M -M	C7025 MHT	2.2359	mg	+C -C	Supplier		+S	-S	Cu	7440-50-8		2.1509	mg		,	475,93
			•	•			_		+S	-s	Si	7440-21-3		0.0145	mg			3,216
						+C -C	В		+S	-s	Nickel	7440-02-0		0.0671	mg			14,842
						+C -C	Supplier		+S	-S	Mg	7439-95-4		0.0034	mg			742
		+M -M	Ni/Pd/Au plating	0.0573	mg	+C -C	В		+S	-S	Nickel	7440-02-0		0.0517	mg	İ		11,439
			•	•		+C -C	Supplier		+S	-S	Pd	7440-05-3		0.0047	mg			1,040
						+C -C	Supplier		+S	-S	Au	7440-57-5		0.0009	mg			207
+1 -1	Bonding wire	+M -M	Gold	0.0301	mg	+C -C	Supplier		+S	-S	Au	7440-57-5		0.0301	mg		-	6,651
+1 -1	Molding compound	+M -M	EME-G770HCD	2.1327	mg	+C -C	Supplier		+S	-S	Silica(Amorphous) A	60676-86-0		1.6742	mg		;	370,45
			•	•			_		+S	-s	Silica(Amorphous) B	7631-86-9		0.3199	mg			70,788
									+S	-s	Epoxy resin	Proprietary		0.064	mg			14,158
									+S	-s	Phenol resin	Proprietary		0.064	mg			14,158
									+S	-s	Carbon Black	1333-86-4		0.0107	mg			2,360
+1 -1	Die attached epoxy	+M -M	QMI519	0.0201	mg	+C -C	Supplier		+S	-S	Silver	7440-22-4		0.017	mg		;	3,761
		,	•	•			1		+S	-s	2-Propionic acid, methy	Proprietary		0.002	mg			445
									+S	-s	2-Propenoic acid, 2-met	68586-19-6		0.001	mg			223
									+S	-s	2-(3,4-Epoxycyclohexyl	3388-04-3		0.0001	mg			22