ADDREATION OR NITOTING	© Co	terial Compo pyright 2005. IPC, Bannoc ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	level pa	arts, the	declaratio	n encompas	ses all low		rials for w	vhich the	tem is an assembly manufacturer has claration.		
1/32-2 1.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x						Type *	-		ation Class * 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa						
Supplier Information																
Company Name * Company Unique ID				Unique ID Authority			Response Date *			Response Document ID						
SEMTECH CORPORATION						2012-0	2-09									
Contact Name * Title - Contact			Phone - Contact *			Email -	Contac	t *								
ROYA READER	Quality Customer Se	rvice Spec	(805) 498-21	305) 498-2111		rreader@semtech.com			Duplicate	e Contact -	> Authoriz	zed Rep	resentative			
Authorized Representative * Title - Representati			e Phone - Representative *			Email - Representative *			* Supp	Supplier Comments or URL for Additional Information						
ROYA READER Quality Custome		Quality Customer Se	rvice Spec	(805) 498-21	I1 rread		reader@semtech.com									
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective	Date	Version	Manufacturii	g Site	Weight *	UOM	1	Unit Type			
		SC1565IS-2.5.TRT		Very Low Dro		Ma			laysia		mg		Each			
Alternate Recommenda	mendation					Alterr		Alternate	ate Item Comments							
Manufacturing Proces	s In	formation														
Terminal Plating / Grid Array Material Terminal E			Terminal Ba	ase Alloy	ating F	ting Peak Process Body Tempe			Max Time	at Peak Temp	erature N	lumber of	Reflow Cycles			
Matte Tin (Sn)			CU Alloy			26				30 seconds						
Comments SC1565IS-2.5.TRT is a RI	- 4 01	l)latia 	24007/2000 (- !			!!:! .	0.410		-fh -t	! 0-1	00	44		

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a "RoHS restricted substance") in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
	Name		Material	weight	Measure		Level	Substance Category				CAS	Exempt	weight	Measure	-	+	
+1 -	SILICON CHIP	+M -M	Si, Doped	2.63	mg	+C -C	Supplier		+S	Ģ	Silicon (Si)	7440-21-3		2.63	mg		;	36,057
+1 -	LEAD FRAME, SOI	+M -M	CDA194	24.2116	mg	+C -C	Supplier		+S	Ģ	Copper (Cu)	7440-50-8		23.5839	mg			323,33
						+C -0	A	Lead/Lead Compound	+S	-s	Lead	7439-92-1		0.0073	mg			100
						+C -0	Supplier		+S	-s	Iron (Fe)	7439-89-6		0.5701	mg			7,816
							_		+S	-s	Phosphorous (P)	7723-14-0		0.02	mg			274
									+S	-s	Zinc (Zn)	7440-66-6		0.0303	mg			416
		+M -M	Silver Plating	0.0485	mg	+C -C	Supplier		+S	-S	Silver (Ag)	7440-22-4		0.0485	mg		•	665
+1 -	WIRE BONDING	+M -M	Gold Wire	0.3	mg	+C -C	Supplier		+S	-S	Gold (Au)	7440-57-5		0.3	mg		-	4,113
+1 -	DIE ATTACHED MA	+M -M	84-1LMISR4	1.1074	mg	+C -C	Supplier		+S	-S	Epoxy Resin	Proprietary		0.1695	mg		:	2,324
	_		-				_		+S	-s	Silver (Ag)	7440-22-4		0.8758	mg			12,007
									+S	-s	Aromatic Amine	Proprietary		0.0622	mg			852
+1 -	MOLDING COMPO	+M -M	EME-G600C	43.1817	mg	+C -C	Supplier		+S	-S	Silica Fused	60676-86-0		37.723	mg		į	517,18
	_		-				_		+S	-s	Epoxy Resins	Proprietary		2.219	mg			30,423
									+S	-s	Cresol Novolac	29690-82-2		0.8876	mg			12,169
									+S	-s	Phenol Resin	Proprietary		2.219	mg			30,423
									+S	-s	Carbon Black	1333-86-4		0.1331	mg			1,825
+1 -	PLATING FINISH	+M -M	Tin Alloy	1.46	mg	+C -C	Supplier		+S	-S	Tin (Sn)	7440-31-5		1.46	mg		;	20,017