| | © Co | terial Compo pyright 2005. IPC, Bannoc Iternational and Pan-Ameri | kburn, Illinois | All rights reserve | tion with lower | level p | arts, the | declaratio | n encom | npasses all | | aterials for | which th | e item is an assembly ne manufacturer has leclaration. | | | |
|--|---------------------|---|-----------------|------------------------------|------------------------------|------------------------|--------------------------|------------|---|---|--|--------------|------------------|--|--|--|--|
| 1/32-2 1.1 | | Neb Site for Informat | | -1752 Standa | rd | | n Type * 'ibute | | Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa | | | | | | | | |
| Supplier Information | | | | | | | | | | | | | | | | | |
| Company Name * | | Company Unique ID | | Unique ID Au | Response Date * | | | F | Response Document ID | | | | | | | | |
| SEMTECH CORPORATION | | | | - | 2012-0 |)3-14 | | | - | | | | | | | | |
| Contact Name * Title - Contact | | | | Phone - Contact * | | | Email - Contact * | | | | Durkasta Osutast Authorizad Danna tri | | | | | | |
| ROYA READER Quality Customer | | | rvice Spec | vice Spec (805) 389-2742 | | | rreader@semtech.com | | | | Duplicate Contact -> Authorized Representative | | | | | | |
| Authorized Representative * Title - Representative | | | Э | Phone - Representative * | | | Email - Representative * | | | Supplier Comments or URL for Additional Information | | | | | | | |
| ROYA READER | Quality Customer Se | ervice Spec | (805) 389-27 | rreader@semtech.com | | | | | | | | | | | | | |
| Requester Item Number | | Mfr Item Number | | Mfr Item Name | Effectiv | Effective Date Versior | | | n Manufacturing Site | | * UC | DM | Unit Type | | | | |
| | | SC4525CSETRT | | 28V 3A Step-Down Switching R | | | | | | Philippines | | mg | 3 | Each | | | |
| Alternate Recommenda | ation | | | | Alternate Item | | | Item Cor | mments | • | | | | | | | |
| Manufacturing Proces | ss In | formation | | | | | | | | | | | | | | | |
| Terminal Plating / Grid Array Material Terminal E | | | | ase Alloy | ting Peak Process Body Tempe | | | Tempera | ature Max | Time at Peak Te | emperature | Number | of Reflow Cycles | | | | |
| Matte Tin (Sn) CU All | | | CU Alloy | / 1 | | | 260 | | | 30 seconds 3 | | | | | | | |
| Comments | | | | | 1 | | | | | I | | | 1 | | | | |
| SC4525CSETRT is a REA | ACH-0 | compliant product, | per EU Re | gulation EC1 | 907/2006 to inclu | de rec | ent addit | ion of S | VHC ca | ndidate li | st of substan | ces in Nov | vember | 2011 | | | |

| Save the fields in this form to a file | Export Data | Import fields from a file into this form | Import Data | Clear all of the fields on this form | Reset Form | Lock the fields on this form to prevent chan | Look Cumption Fields |
|--|--|--|--|---|--|--|--|
| RoHS Material | Composition Declara | tion | | | | Declaration Type | * Detailed |
| | | limit of 0.1% by mass (100 thers (PBDE) and quantity | , . | | | | ominated Biphenyls (PBB), |
| chromium, polybrominate excess of an applicable of gathered the information Company will rely on this completing this form, and certifications regarding the conditions of that agreen | ed biphenyls and/or polybrominated quantity limit, please indicate below it provides in this form using approp certification in determining the com I that Supplier may not have independent rein contributions to the part, and the nent, including any warranty rights a | which, if any, RoHS exemption you b priate methods to ensure its accuracy apliance of its products with European andently verified such information. Ho pose certifications are at least as comp | icted substance") in excess believe may apply. If the p y and that such information n Union member state laws bowever, in situations where prehensive as the certification that agreement, will be the s | of the applicable quantity limit bart is an assembly with lower I is true and correct to the best of that implement the RoHS Dire Supplier has not independentl on in this paragraph. If the Co ole and exclusive source of the | identified above. If a homogene- evel components, the declaration of its knowledge and belief, as of ctive. Company acknowledges to y verified information provided by mpany and the Supplier enter into a Supplier's liability and the Comp | eous material within the part cont n shall encompass all such comp f the date that Supplier complete that Supplier may have relied on y others, Supplier agrees that, at to a written agreement with response upany's remedies for issues that a | tains a RoHS restricted substance in ponents. Supplier certifies that it s this form. Supplier acknowledges that |
| RoHS Declaration | n * 1 - Item(s) does not contain | RoHS restricted substances per th | he definition above | | | Supplier Acceptance * | Accepted |
| | declared item does not cont Il applicable exemptions. | ain RoHS restricted substanc | es per the definition a | bove except for defined | RoHS exemptions, then s | select the corresponding re | esponse in the RoHS Declaration |
| Declaration Si | gnature | | | | | | |
| | | C 1 1 11 C (1 1) | | | · • • • • • | T 1: 10 11 1 4 | D' i ll i |

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

| | Item/SubItem | | Homogeneous | Weight | Unit of | | | Level | Substance Category | | | Substance | CAS | Exempt | Weight | Unit of | Tolerance | | PPM |
|-------|------------------|------------|--------------------|--------|---------|------|------|----------|--------------------|----|----|-------------------------|-------------|--------|---------|---------|-----------|---|---------|
| | Name | | Material | weight | Measure | | ' | Levei | Substance Category | | | Substance | CAS | Exempt | weight | Measure | - | + | |
| +I -I | SILICON CHIP | +M -M | Silicon Die | 2.7 | mg | +C | -C s | Supplier | | +S | -S | Silicon (Si) | 7440-21-3 | | 2.7 | mg | | | 34,397 |
| + - | LEAD FRAME, SOIC | +M -M | CDA194 | 24.89 | mg | +C | -C s | Supplier | | +S | -S | Copper (Cu) | 7440-50-8 | | 24.1433 | mg | | | 307,57 |
| | | | - | | | | | | | +S | -s | Iron (Fe) | 7439-89-6 | | 0.5849 | mg | | | 7,451.6 |
| | | | | | | | | | | +S | -s | Zinc (Zn) | 7440-66-6 | | 0.0299 | mg | | | 380.50 |
| | | | | | | | | | | +S | -s | Phosphorous (P) | 7723-14-0 | | 0.0199 | mg | | | 253.67 |
| | | +M -M | Silver spot platir | 0.112 | mg | +C | -C s | Supplier | | +S | -S | Silver (Ag) | 7440-22-4 | | 0.112 | mg | | | 1,426.9 |
| + - | DIE ATTACH MATE | +M -M | 2600AT | 1.73 | mg | +C · | -C s | Supplier | | +S | -S | Silver (Ag) | 7440-22-4 | | 1.25 | mg | | | 15,978 |
| | | , . | | | | | | | | +S | -s | Epoxy Resin | Proprietary | | 0.35 | mg | | | 4,407.9 |
| | | | | | | | | | | +S | -s | n-paraffinic HydroCarbo | Proprietary | | 0.13 | mg | | | 1,652.9 |
| + - | WIRE BONDING | +M -M | Gold Wire | 0.265 | mg | +C | -C s | Supplier | | +S | -S | Gold (Au) | 7440-57-5 | | 0.265 | mg | | | 3,375.6 |
| + - | MOLDING COMPOL | +M -M | EME-G600 | 47.91 | mg | +C · | -C s | Supplier | | +S | -S | Silica Fused | 606076-86-0 | | 42 | mg | | | 534,06 |
| | | , . | | | | | | | | +S | -s | Epoxy Resin | Proprietary | | 2.4 | mg | | | 30,517 |
| | | | | | | | | | | +S | -s | Epoxy, Cresol Novolac | 29690-82-2 | | 0.958 | mg | | | 12,207 |
| | | | | | | | | | | +S | -s | Phenol Resin | Proprietary | | 2.4 | mg | | | 30,517 |
| | | | | | | | | | | +S | -s | Carbon Black | 1333-86-4 | | 0.24 | mg | | | 3,051.7 |
| + - | PLATING - TIN | +M -M | Tin (Sn) | 1 | mg | +C | -C s | Supplier | | +S | -S | Tin (Sn) | 7440-31-5 | | 1 | mg | | | 12,733 |
| | | | | | | +C · | -C 🏼 | 4 | Lead/Lead Compound | +S | -s | Lead | 7439-92-1 | | 0.0005 | mg | | | 6.6246 |