	© Co	terial Compo pyright 2005. IPC, Bannoc aternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lower	level pa	arts, the	declaration	n encor		er level mate	erials for	which th	item is an assembly e manufacturer has eclaration.		
1752-2 1.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x						Type * ibute			ation Class * 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat						
Supplier Information																
Company Name *	Company Unique ID		Unique ID Au	Response Date *				Response Doc	ument ID							
SEMTECH CORPORATION		00-847-9941		DUNS	2015-10-15											
Contact Name *		Title - Contact		Phone - Contact *		Email - Contact *				D Facto	044	A 4 la -	:			
Jeffrey Gabrielson		QA Customer Servic	e Specialis	805-498-2111		jgabrielson@semtech.com			om	Duplicate	Contact	-> Autho	orizea Re	presentative		
Authorized Representative		Title - Representative		Phone - Representative *		Email - Representative *			*	Supplier Comments or URL for Additional Information						
Jeffrey Gabrielson		QA Customer Servic	e Specialis	805-498-211	1	jgabrie	lson@s	emtech.c	om							
Requester Item Number	Mfr Item Number			Mfr Item Name)	Effective	e Date	Version Manu		cturing Site	Weight *	UC	DM	Unit Type		
		SC724CSTRT		2A LOW VIN				Malays	ia	2.146	mg	9	Each			
Alternate Recommenda	ation						Alternate			m Comments						
Manufacturing Proces	ss Inf	formation														
Terminal Plating / Grid Array Material Term			Terminal Ba	ase Alloy	ating [Peak Proc	ess Body	Temper	ature Max Time at Peak Tem		perature	erature Number of Reflow				
N/A				1				2	2 60 C		30 se		3			
Comments					1					I						
SC724CSTRT is REACH	-com	pliant product, per	EU Regula	ation EC1907	//2006 to include	recent a	addition	of SVHC	candi	date list of sul	ostances in	June 2	015.			

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type *** Detailed Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC Please indicate whether any homogeneous material (as defined by the RoHS Directive, EU 2002/95/EC and implemented by the laws of the European Union member states) of the part identified on this form contains lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and/or polybrominated diphenyl ethers (each a ?RoHS restricted substance?) in excess of the applicable quantity limit identified above. If a homogeneous material within the part contains a RoHS restricted substance in excess of an applicable quantity limit, please indicate below which, if any, RoHS exemption you believe may apply. If the part is an assembly with lower level components, the declaration shall encompass all such components. Supplier certifies that it gathered the information it provides in this form using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier?s liability and the Company?s remedies for issues that arise regarding information the Supplier provides in this form. In the absence of such written agreement, the warranty rights and/or remedies of Supplier's Standard Terms and Conditions of Sale applicable to such part shall apply. 1 - Item(s) does not contain RoHS restricted substances per the definition above Supplier Acceptance * Accepted **RoHS Declaration *** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature**

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem			Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of	Tolerance		PPM
	Name			Material	Weight	Measure				Cubatanec Category			Cubstance	UNO .	Lxempt	Weight	Measure	-	+	
+1 -1	Die	+M	-M	Doped Silicon	0.4643	mg	+C	-C	Supplier		+S	-S	Si	7440-21-3		0.4643	mg			216,38
+1 -	РВО	+M	-M	HD8820	0.0056	mg	+C	-C	Supplier		+S	-S	Polyamide	63428-84-2		0.0021	mg			968
						•					+S	-s	Gamma-butyrolactone	96-48-0		0.0029	mg			1,348
											+S	-s	Propylene Glycol Mono	108-65-6		0.0001	mg			66
											+S	-s	Organosilan Compound			0.0001	mg			51
											+S	-s	Photoinitiator	852355-66-9		0.0002	mg			90
											+S	-s	Proprietary Ingredient(s			0.0002	mg			90
+1 -	UBM	+M	-M	Ti/Cu/Ni/Sn/Ag	0.0147	mg	+C	-C	Supplier		+S	-S	Sputter Ti	7440-32-6		0.0001	mg			36
						•					+S	-s	Sputter Cu	7440-50-8		0.0005	mg			217
											+S	-s	Plating Cu	7440-50-8		0.0078	mg			3,622
							+C	-C	В		+S	-s	Nickel	7440-02-0		0.0031	mg			1,441
							+C	-C	Supplier		+S	-s	Plating SnAg			0.0033	mg			1,545
+1 -	RDL	+M	-M	Cu	0.0161	mg	+C	-C	Supplier		+S	-S	Cu	7440-50-8		0.0161	mg			7,544
+1 -	Bump	+M	-M	SAC105	1.625	mg	+C	-C	Supplier		+S	-S	Sn	7440-31-5		1.6	mg			746,03
	_				•	•					+S	-s	Ag	7440-22-4		0.0162	mg			7,559
											+S	-s	Cu	7440-50-8		0.0081	mg			3,782
+1 -	Backside material	+M	-М	LC2850	0.0197	mg	+C	-c	Supplier		+S	-s	Poly(ethylene terephtha	25038-59-9		0.0198	mg	ĺ		9,220